

WHITEPAPER FOR CONSIDERATION IN THE 2023-2032 NASA DECADAL SURVEY ON BIOLOGICAL AND PHYSICAL SCIENCES RESEARCH IN SPACE

Space Bioprocess Engineering on the Horizon

Aaron J. Berliner^{1,2,*}, Isaac Lipsky^{1,2}, Davian Ho^{1,2}, Jacob M. Hilzinger^{1,2}, Gretchen Vengerova^{1,2}, George Makrygiorgos^{1,3}, Matthew J. McNulty^{1,4}, Kevin Yates^{1,4}, Nils J.H. Aversch^{1,5}, Charles S. Cockell^{1,6}, Tyler Wallentine^{1,7}, Lance C. Seefeldt^{1,7}, Craig S. Criddle^{1,5}, Somen Nandi^{1,4,8}, Karen A. McDonald^{1,4}, Amor A. Menezes^{1,9}, Ali Mesbah^{1,3}

¹Center for the Utilization of Biological Engineering in Space (CUBES); ²Department of Bioengineering, University of California Berkeley, Berkeley, CA; ³Department of Chemical and Biomolecular Engineering, University of California Berkeley, Berkeley, CA; ⁴Department of Chemical Engineering, University of California, Davis, Davis, CA; ⁵Department of Civil and Environmental Engineering, Stanford University, Stanford, CA; ⁶UK Centre for Astrobiology, School of Physics and Astronomy, University of Edinburgh, Edinburgh, UK; ⁷Department of Chemistry and Biochemistry, Utah State University, Logan, UT; ⁸Global HealthShare Initiative, Davis, CA; ⁹Department of Mechanical and Aerospace Engineering, University of Florida, Gainesville, FL

*Primary author: Aaron J. Berliner, +1(413)-854-1692, aaron.berliner@berkeley.edu

Executive Summary

Reinvigorated public interest in human space exploration has led to the need to address the science and engineering challenges described by NASA's Space Technology Grand Challenges (STGCs) for expanding the human presence in space. Here we define Space Bioprocess Engineering (SBE) as a multi-disciplinary approach to design, realize, and manage a biologically-driven space mission as it relates to addressing the STGCs for advancing technologies to support the nutritional, medical, and incidental material requirements that will sustain astronauts against the harsh conditions of interplanetary transit and habitation offworld. SBE combines synthetic biology and bioprocess engineering under extreme constraints to enable and sustain a biological presence in space. Here we argue that SBE is a critical strategic area enabling long-term human space exploration; specify the metrics and methods that guide SBE technology life-cycle and development; map an approach by which SBE technologies are matured on offworld testing platforms; and suggest a means to train the next generation spacefaring workforce on the SBE advantages and capabilities. In doing so, we outline aspects of the upcoming technical and policy hurdles to support space biomanufacturing and biotechnology. We outline a perspective marriage between space-based performance metrics and the synthetic biology Design-Build-Test-Learn cycle as they relate to advancing the readiness of SBE technologies. We call for a concerted effort to ensure the timely development of SBE to support long-term crewed missions using mission plans that are currently on the horizon. Additionally, we provide a roadmap for a SBE research campaign costing \$115MM over the next decade.

RESEARCH CAMPAIGN

ESTIMATED COST: \$11,500,000/year ; \$115,000,000 Total

PROJECT DURATION: 2023-2032; 10 years

Introduction

Biotechnologies may have mass, power and volume advantages compared to abiotic approaches for critical mission elements for long-term crewed space exploration[1, 2]. While there has been point progress in demonstration and evaluation of these benefits for specific examples in this field such as for food production, waste recycling, etc., there is only just emerging possible consensus on the scope of the application of biosynthetic and biotransformative technologies to space exploration and there is almost no formal definition of the scope, performance needs and metrics, and technology development cycle for these systems. It is time to formally establish the field of Space Bioprocess Engineering (SBE) to build this nascent community, train the workforce and develop the critical technologies for planned deep-space missions. The inter-sectional nature of SBE (Fig. 1a) implies that the field borrows many elements from a number of related fields such as the synthetic biology design process from Bioengineering, astronaut sustainability[3, 4] and mission design from Astronautics[5, 6], environmental-context and constraints from the Space Sciences, and living systems habitability and distribution concepts from Astrobiology[7]. SBE represents an extension of the standard astronautics paradigm in meeting NASA's Space Technology Grand Challenges (STGCs) for expanding the human presence in space, managing resources in space, and enabling transformative space exploration and scientific discovery[8, 9] (Fig. 1b). Aspirational realizations of SBE would feature prominently in establishment of in-orbit test-facilities, interplanetary waystations, lunar habitats, and a biomanufacturing on the surface of Mars[10]. Differentiated from traditional efforts in space systems engineering, these systems would encapsulate elements from *in situ* resource utilization (ISRU) for the production of biological feedstocks such as fixed carbon and nitrogen for use as inputs for plant and microbial production systems[11, 12], fertilizers for downstream use by plants[13]; *in situ* (bio)manufacturing (ISM) to produce materials requisite to forge useful tools and replacement parts[14], food and pharmaceutical synthesis (FPS) via plant and microbial engineering for increased productivity and resilience in space conditions, production of nutrients and protective/therapeutic agents for sustaining healthy astronauts[15, 16]; and life-support loop closure (LC) for minimizing waste and regenerating life-support functions and biomanufacturing. Maximizing the productivity of the biomanufacturing elements increases the delivery-independent operating time of a biofoundry in space while minimizing cost and risk.[17] (Fig. 1c). Ultimately, efforts must be mounted to update the *mandate* to include SBE as a tool for enabling human exploration; specialize the *metrics and methods* that guide SBE technology life-cycle and development; further develop *means* by which SBE technologies are designed for ground testing and matured on offworld testing platforms (Fig. 1d); and train the *minds* that enter the spacefaring workforce on the SBE advantages and capabilities.

An Inclusive Mandate To Leverage SBE

While previous strategic surveys such as NASA's Journey to Mars program[18] the 2018 Biological and Physical Sciences (BPS) Decadal Survey[19] have acknowledged that plants and microbes may be integral parts of life support and recycling systems but can present challenges to the environmental operation of engineering systems in space due to contamination and other inherent drawbacks. However, none of these have coherently called for the development of the science and technology to engineer these organisms and their biotransformative processes in support of space exploration. The SBE community requires a mandate that identifies mission designs and elements for which engineering biosystems would be most appropriate, and defines the productivity, risk and efficiency targets for these systems in integrated context with other mission elements and in fair comparison to abiotic approaches. This will require integration of SBE resources and knowledge across government, industry, and academia. Previous biological strategies should now specifically call for (1) definition of the physical engineering constraints on the production systems and development of optimized reactor/processing systems for these elements; (2) quantitative assessment of the bioengineering required to meet performance goals in space given the special physiology required in an offworld environment; and (3) development of efficient tooling for offworld genetic engineering along with the proper containment and clean-up protocols.

Such a mandate would result in: (1) a deeper, more mechanistic understanding of the growth and phenotypic characteristics of organisms operating in space-based bioprocesses taking into account issues of differences in gravity, radiation, light, water quality, etc.; new applications of these organisms off-planet; (3) new reactors, bioprocess control designs and product processing/delivery technologies accounting for these conditions and the specific constraints of scaling and operational simplicity in space. The development of open, publicly accessible data and tools would enable rigorous comparison among biotechnologies and with abiotic (physical and chemical) approaches within better defined mission-scenarios. Ideally, this




Figure 1: (a) Venn Diagram-based definition of Space Bioprocess Engineering (SBE) as an interdisciplinary field. (b) NASA's space technology grand challenges[8] key by shape and colored by group. (c) SBE components separated by colors for *in situ* resource utilization (ISRU), food and pharmaceutical synthesis (FPS), *in situ* manufacturing (ISM), and loop closure (LC), with the biological processes inherent to each represented below in circles. (d) Platform evolution for biological experiments starting with Earth-orbit CubeSats and proceeding through the ISS, Mars-and-Luna-based rovers, to Lunar and cis-Lunar based human and autonomous systems via the Artemis program.

should create interactive sub-communities that may collaborate and compete on different approaches to meet bioengineering goals and metricize results against the mission specifications.

SBE is an emerging engineering discipline and there are long but feasible routes from discovery, through invention to application. Furthermore, SBE is multidisciplinary and its utility within the larger space community demands specialized cross-training of diverse teams. It in such situations agencies like the Department of Energy (DOE) have found it effective to ensure there is specific funding to support longer term team science to accomplish ambitious scientific and technical goals. The Industrial Assessment Centers (IACs) program is one longest-running DOE programs (started in 1976) and has provided nearly 20,000 no-cost assessments for small- and medium-sized manufacturers and more than 147,000 recommendations in an effort to reduce greenhouse gas emissions without compromising U.S. manufacturing's competitive edge globally[20]. Conversely, successful examples for demonstrating the effect of fostering multidisciplinary centers for space-based biotechnology can be found in NASA's Center for the Utilization of Biological Engineering in Space (CUBES, <https://cubes.space/>), or ESA's Micro-Ecological Life Support System Alternative (MELISSA, <https://www.melissafoundation.org/>) program – with the capabilities to design, prototype, and ultimately translate biological technologies to space while training the necessary workforce. Such centers are tasked with the development of initial concept trade studies; defining requirements; managing life-support interfaces; evaluating ground integration, operations, and maintenance; coordinating mission operations; and supporting and sustaining engineering and logistics[21, 22]. However, these programs are generally restricted to shorter operation timelines – and would benefit from a longer horizon. This is especially true for SBE as biological developments generally require a longer timeframe for integration in industrial endeavors.

Specialization of SBE Metrics and Methods

Response to the proposed expanded mandate above requires careful consideration of the space-specific performance metrics that SBE must fulfill. Payload volume, mass, and power requirements are made as small as possible and are limited in envelope by their carrier system. One of the most compelling aspects of biotechnology is the ability of such systems to adapt to these constraints relative to certain industrial alternatives. To efficiently evaluate and deploy novel biotechnologies, SBE experiments should begin with standardized unit operations that clearly define the desired biological function. This allows for a standardized experimental framework to test modular biotechnologies not only within the system to be engineered, but also within and between research groups. To define the minimal basis set of unit




Figure 2: Overview of (a) space systems bioengineering (SBE) performance metrics as core constraints and engineering targets within the (b) diagram of SBE-specific Design, Build, Test, Learn (DBTL) cycle.

operations for a given mission, test and optimize the biotechnologies for each unit operation, and integrate each unit operation into a stable system, we adopt the methods from standard bioengineering in the form of a Design-Build-Test-Learn (DBTL) cycle[23] (Fig. 2).

Performance Metrics

The design phase of the DBTL cycle begins with the establishment of core constraints and engineering targets that can be explored by standardizing the high-priority performance metrics ($\{\text{Modularity, Recyclability, Supportability, Autonomy, Sustainability}\}$)- which we argue gain special weight in space- from which downstream technoeconomic and life-cycle analysis decisions can be explored (Fig. 2a). The space-specific constraints on performance include: (1) an exceptionally strong weighting on a low mass/volume/power footprint for the integrated bioprocess; (2) limited logistic supply of materials and a narrow band of specifically chosen feedstocks; (3) added emphasis on simplicity of set-up, operation and autonomous function to free up astronaut time; (4) mission-context de-risking against cascading failure; (5) strong requirements for efficiency and closed-loop function to maximize efficient resource use and minimize waste products; (5) a critical need for modularity and 'maintainability' so that parts can be swapped easily, new functions added easily, and repairs can be done without logistical support beyond the crew; (6) an increased dependence on other mission elements such as provision of water, gases, astronaut wastes, power, and other raw materials such a regolith which may vary in abundance, quality, and composition in unpredictable ways; (7) the need to design sustainable and supportable operation across long time horizons without logistical support beyond the bounds of the local mission; (8) increased ability to operate in more extreme environments including low gravity, high radiation, low nutrient input, and other stressors; and (9) and process compatibility among common media and operational modes to allow for easy process integration and risk-reduction through redundancy of systems.

Ideally, this combination of performance metrics provides informative constraints on biology and technology choices. Feedstock, loop-closure, environmental parameters and product needs will constrain the minimal set of organisms to develop and test for growth rate, optimal cultivation, robustness and resilience to space conditions and shelf-life, safety and genetic tractability, product yield, titer and rate, feedstock utilization and waste streams[24]. Once suitable chassis organisms have been evaluated and selected, the DBTL cycle can integrate staged co-design of the optimal process hardware (e.g. molecular biological set-ups, genetic engineering tools, bioreactors, and product post-processing systems) configuration, operating parameters, and process controllers. Operation of the cycle over increasing scale and ever more realistic deployment environments permits controlled traversal of the technology readiness levels for each technology and mission.

Design-Build-Test-Learn

In the design phase, we argue that efforts must be made to (1) create a database of engineering targets (products, production rates, production yields, production titers, risk factors, waste/recyclability factors, material costs, operational costs, weight, power demand/generation) that set the core constraints for workflow and mission optimization; (2) leverage emerging pathway design software and knowledge bases[25]

to identify the key types of biological production workflows (i.e. metabolic engineering strategies[26]) that need to be modified for different space-based scenarios; (3) identify the supporting biomanufacturing design elements within which these production workflows could be implemented[27–29]; and (4) identify the chassis organisms and other biological components[30–32] that will be required to compose the complete set for downstream engineering specifications. Systems designed from a minimal set of reliable parts, standard interconnects, and common controller languages also offer the best possible chance of characterized reliability under changing environmental conditions. Therefore, control of hardware and wetware should be augmented through the design and operation of software support. We see a fundamental effort in SBE as the amalgamation of space-driven hardware, software, and wetware that follows a synthetic biology DBTL cycle[33].

Development of Means for SBE Flight

Deployment of SBE platforms as mission critical elements will likely be reserved for longer duration human exploration missions such as those in the Artemis or Mars programs[10]. These future programs are still in the concept and planning stage in development, but will certainly be composed of a myriad of technologies that range in degree of flight-readiness as standardized by NASA’s Technology Readiness Level[34] (TRL, used to rate the maturity of a given technology during the acquisition phase of a program). Recent updates in NASA’s definitions of and best-practices for applying the TRL paradigm led to the standardization and merging of exit criteria between hardware and software systems[35]. However, the TRL concept as it relates to SBE must be further expanded to include definitions and exit criteria for ‘wetware’ in addition and in relationship to hardware and software elements.

Deployment of SBE in space requires a level of rigor in technology acceptance that is of a different order than most earth-based systems because mission failures are exceptionally costly and difficult to recover from. The missions into which SBE processes will integrate are hugely complicated and as noted above will be interdependent in complex ways. Thus while low levels TRLs can be reached through unit testing in modest formats both on earth and limited flight chasses, the integrated nature of the bioprocess control and engineering will require integration testing even at the TRL 4 and 5 levels[35]. To meet acceptance at TRL 6 and beyond will require long term planning realistic integration and deployment testing with actual sophisticated space missions and their logistics.

Training of SBE Minds

Maturation of space bioprocess engineering requires specialization of the training needed to produce the next generation of spacefaring scientists, engineers, astronauts, policy makers, and support staff[36]. Lessons learned from the Space Transportation System (STS) era led to calls for an increase in Science-Technology-Engineering-Mathematics (STEM) educational programs[37] beginning in secondary schools[38] and propagating to novel astronautics-based undergraduate[39] and graduate programs[40], and to the establishment of specialty space research centers[41] focused on technology transfer[42]. The calls for workforce development were repeated just prior to the collapse of the STS program, noting the dangers likely to arise from the lack of educational and training resources for those entering the space industry.[43]. Such a risk as described is especially poignant in the case of space-based biotechnologies given that mature technologies are far fewer, the new applications more futuristic, and the disciplines are not well represented in the traditional physics and engineering curricula. The Universities Space Research Association (USRA) lists 114 institutions with Space Technologies/Science academic programs while recent accounting of bioastronautics programs numbers 36[44]. However, the intersection between these lists yields only 22 schools. Given that US News names 250 world schools that have tagged themselves with Space Science programs, only ~8% of these are currently offering bioastronautics specialization – demonstrating that efforts that integrate human performance, life support and bioengineering are under-served. Furthermore, the bioastronautics programs such as those offered by schools like Harvard-MIT, University of Colorado Boulder, and Baylor University are not focused on biomanufacturing aspects that underlie SBE[45]. Academia must be prepared to capitalize on the opportunities of future SBE applications starting with either the creation of new and interdisciplinary programs or by assembling those from related disciplines (Fig. 1a & 4, see appendix).

SBE Campaign Roadmap for Moving Forward

Making progress on the program above requires scientists, engineers, and policy experts to work together to verify, open, and update campaign specifications. The science requires scientists from multiple disciplines spanning biological and space systems engineering that require a degree of modularity, small




Figure 3: SBE Research Campaign. (a) Progression of CUBES publications/year. (b) Categorization of SBE mission cases mapped on a qualitative spectrum for the availability of *in situ* resources and the availability of logistic resupply. Descriptions for symbols also provided. (c) Proposed budget breakdown for SBE STRI-II vs CUBES STRI-I.

footprints, and robustness not found elsewhere. Additionally, bioprocess and biological engineering must be applied to the building of cross-compatible and scalable processing systems and optimized organisms within the confines of space reactor and product. Finally, coordination mission specialists are critical to deploy tests into space during the run-up and through crewed missions.

We argue that such groundwork requires multidisciplinary centers that can build long term partnerships and understanding; train the workforce in this unique application space; and perform the large-scale, long-term science necessary to succeed. Thus, our proposed campaign roadmap will be based on expanding the mandate and resources of NASA's 2017 Space Technology Research Institute (STRI) program – specifically an evolution of CUBES into a new paradigm (STR-II). After 4.5/5 years of operation and with a budget of ~3 million/year, the CUBES STRI has established a foundational center for driving SBE through 50+ publications, presentations to congress, open dialogue between NASA and other governmental research stakeholders, and the training of ~90 students ranging in career stages from undergraduates to postdoctoral scholars from across 5 university partners. One of the primary lessons learned from CUBES is that integrated, multidisciplinary centers are critical in their integration of solutions for specific mission profiles. However, such integration comes with a cost in start-up time, as evidenced by the publication rate in Fig. 3a. Thus in the interest of avoiding any loss of time, leveraging the current CUBES organization infrastructure is advantageous. However, the primary focus of CUBES up until now has been on long-duration human exploration missions on Mars as these allow for an efficient deployment of biomanufacturing[10] (Fig. 5, see appendix). While said focus must be expanded in STR-II to account for additional mission profiles planned for Luna and interplanetary space (shown as cases 1-4 in Fig. 3b), STR-II must also advance the middle-TRL technologies for nearer-term Mars missions and establish lower-TRL paradigms for longer-term sustained operations on Mars and Luna. Accordingly, the proposed STR-II will operate on a budget of ~\$11.5MM/year (3.83x increase from STR-I) with a duration of 10 years (2x increase from STR-I) as outlined in Fig. 3c. In this paradigm, the resources for Case 1 (near-term Mars) will be increased to \$4.5MM/year, allowing for continued expansion of the standard CUBES organization to serve as the foundation for STR-II – as well as establishing an inclusive mandate for SBE. Nearer term Lunar operations outlined in Cases 2 and 3 will operate on a budget of \$2.5MM and \$0.5MM/year respectively while case 4 will operate on a budget of \$0.25MM/year. The evolution of the mission profiles will be driven by the specialization of SBE metrics and methods. Unlike STR-I, additional funding allocations are proposed for Earth-based sustainability technology transfer (\$0.25MM/year), industry-partnership & flight opportunities (\$2MM/year) as a means for SBE flight testing and TRL-advancement, broader education & community outreach (\$1MM/year) to reach and train the future SBE minds, and international partnership development & outreach (\$0.5MM/year). Initial efforts to establish the timeline for the proposed STR-II have been carried out and published[10] and are reproduced in Fig. 6. The innovations necessary to meet the challenges of low-cost, energy and mass efficient, closed-loop, and regenerable biomanufacturing for space will undoubtedly yield important contributions to forwarding sustainable biomanufacturing on Earth. We anticipate that the path towards instantiating SBE will be replete with science, engineering, and ethical challenges. But that is the excitement — part-and-parcel — of the journey *ad astra*.

Appendix

Platform	Volume	Power	Op. Lifetime	Temperature	Air Comp.
CubeSat	0.0187 m ³	20-45 W	~20 years	Requires heating unit within constraints	Self-contained
PocketQube	0.000125 m ³	Variable	~5 years		
Bioculture System	Not stated	140W	~60 days	37-45°C in main chamber, ambient to 5°C in cooling chamber	Self-contained medical grade gas
WetLab-2 (SmartCycler)	235.97 m ³	350W	Extractions <3hrs, no lifetime stated	50-95°C	
Rodent Habitat Hardware System	0.019 m ³	Not stated	~30 day experiments		
Compact Science Experiment Module	0.0015 m ³	3.2W	>1 month experiments	Ambient temp, no heating module	None, reliant on cabin air system
Vegetable Production System (Veggie)	0.48 m ³ growth area		>12 day experiments, can replace crops		
Advanced Plant Habitat (APH)	889.44 m ³ growth area	Not stated	~1 year	18-30°C	Self-contained gas supply
Spectrum	10 x 12.7 cm internal area		12 day experiments	18-37°C	None, reliant on cabin air comp
BRIC-60	11.03 m ³		>12 day experiments		60M variant can draw from an external gas tank
BRIC-100	38.78 m ³	Unpowered	4.5 months	Ambient temp, no heating module	Self-contained gas canister of designated Airtight, reliant on cabin air comp
BRIC-100VC	16.33 m ³		67 days		
KSC Fixation Tubes (KFTs)	0.2387 m ³				
miniPCR	0.00066 m ³	65W	~2 year	<120°C	
Group Activation Pack-Fluid Processing Apparatus (GAP-FPA)	Eight 6.5 cm ³ test tubes	Unpowered for manual		4-37°C	
Multi-use Variable-g Platform (MVP)	Twelve 800 cm ³ modules	Not stated	Not stated	14-40°C	Airtight, reliant on cabin air comp
MinION	0.0796 m ³	5W	~1 year	Ambient temp, no heating module	
Perseverance (MOXIE)	0.017 m ³	300W	~2 years	800°C operational -60°C ambient	CO ₂ input CH ₄ output
Gateway (HALO)	>125 m ³ planned internal volume	~60kW	>2 years	~18°C	Pressurized cabin air
Mars Hab (6 Crew)	300 m ³	~100kW	600 day nominal, 619 day maximum	~18°C	Pressurized cabin air

Table 1: Constraints on past and current experimental platforms including Small Satellites (light blue), Space Stations (medium blue), Rovers (dark blue), planned Lunar Habitation (light red), and Martian Habitation (red). The shade of color darkens with increasing complexity and cost. The specific sources can be found in the SI.

Lunar and Martian gravity can potentially have distinct biological effects compared to Earth gravity, and the ISS has only a limited volume in which to simulate them[46]. Additionally, both ambient environmental and target temperature windows span an extensive range across extraterrestrial environments, as do gas compositions, making representative testing more difficult in growth and testing chambers (plant, animal, and microbial) without full environmental control (Table 1). ECLSS systems for large-scale plant science requisite for advancing TRL for downstream lunar and Martian missions also require larger volume bounding boxes than is currently provided on the ISS[47]. Here we note the trade-offs with the tight volume and power stores on board. Smaller satellite modules can get technologies off the ground to advance TRL[48–50], but feature even greater size handicaps, and may prevent testing at the integrated, factory level in the DBTL cycle[51, 52]. Scientific instruments and modules on rovers have been geared primarily for exploration and observation, not technology validation. Dedicated rovers or simply landing SBE payloads onto extraterrestrial sites, SBE-ready orbiters, and Artemis operations as a stepping-stone to Mars can all demonstrate technology within a representative context and stand as some of the premier testbeds to “flight qualify” SBE prototypes[34]. *In situ* testing is key to the proposed SBE performance metrics: it forces technology and bioprocesses into accurate, integrated environments, and provides better confidence under radiation, microgravity, and isolation.




Figure 4: Conceptual undergraduate SBE program.

Because scientific and mathematical core courses are relatively standard across SBE-related disciplines, an effective foundation of technical skills could be easily constructed from the shared curriculum (Fig. 4). From there, specific SBE-driven training can be offered in (1) effects of space on plant and microbes; (2) process design for low gravity/high radiation; (3) management and storage of biological materials in space based operations; (4) low energy/low mass bioreactor/bioprocessor design; (5) integrated biological systems engineering; (6) biological mission planning and logistics; (7) risk and uncertainty management; (8) containment and environmental impact of biological escape, fires, corrosion and cleanup; and (9) ethics of cultivation and deployment. While the logistics for organizing such pathways for formal SBE training are non-trivial within the academic machine, we note that nearly all schools listed by USRA offer the component programs in bioengineering, planetary science or astronomy, and electrical or systems engineering. Since the courses for such engineering programs are standardized[53], it stands to reason that establishing focused SBE programs can begin by collecting and highlighting course combinations. As programs grow, additional faculty with SBE-driven research can be sourced. Such openings offer a much needed opportunity to address systemic issues of diversity, equity, and inclusion both within SBE-based academia and the industrial space community at large[54].




Figure 5: Y5Q2 CUBES retrospective exercise outlining areas for improvement.




Figure 6: Proposed roadmap from 2021 to 2052 in log₂-scale time of Earth-based developments (black) and their relationships to ISS (gold), lunar (blue), and Martian (red) missions. Missions range in status from currently operational, to enroute, planned, and proposed. Reference Mission Architecture (RMA)-S is a 30-sol mission, and RMA-L are missions with more than 500 sols of surface operations. RMA-L1 is the mission target for deployment of a biomanufactory. An arrival at target location is denoted with a symbol to indicate its type as orbiter, rover, lander, helicopter, support, or crewed operations. Circled letters are colored by location and correspond to specific milestones or opportunities for biomanufactory development. For details, see [10].

References

- [1] Amor A Menezes et al. *Towards synthetic biological approaches to resource utilization on space missions*. Vol. 12. 102. The Royal Society, 2015, p. 20140715.
- [2] Shannon N Nangle et al. “The case for biotech on Mars”. In: *Nature Biotechnology* 38.4 (2020), pp. 401–407. ISSN: 1546-1696.
- [3] Laurence R Young and Jeffrey P Sutton. *Handbook of Bioastronautics*. Springer, 2020. ISBN: 3319101528.
- [4] Mihriban Whitmore, Jennifer Boyer, and Keith Holubec. “NASA-STD-3001, Space Flight Human-System Standard and the Human Integration Design Handbook”. In: *Industrial and Systems Engineering Research Conference*. 2012.
- [5] Stephen J Hoffman and David I Kaplan. *Human exploration of Mars: the reference mission of the NASA Mars exploration study team*. Vol. 6107. National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, 1997.
- [6] Bret G Drake, Stephen J Hoffman, and David W Beaty. “Human exploration of Mars, design reference architecture 5.0”. In: *Aerospace Conference, 2010 IEEE*. IEEE, 2010, pp. 1–24. ISBN: 142443887X.
- [7] Malcolm Fridlund and Helmut Lammer. “The astrobiology habitability primer”. In: *Astrobiology* 10.1 (2010), pp. 1–4. ISSN: 1531-1074.
- [8] Tricia Talbert and Mike Green. *Space Technology Grand Challenges*. 2010. URL: https://www.nasa.gov/offices/oct/strategic_integration/grand_challenges_detail.html#.
- [9] Amor A. Menezes et al. “Grand challenges in space synthetic biology”. In: *Journal of The Royal Society Interface* 12.113 (2015), p. 20150803. ISSN: 1742-5689. DOI: [10.1098/rsif.2015.0803](https://doi.org/10.1098/rsif.2015.0803). URL: <http://rsif.royalsocietypublishing.org/lookup/doi/10.1098/rsif.2015.0803>.
- [10] Aaron J Berliner et al. “Towards a Biomanufacturing on Mars”. In: *Frontiers in Astronomy and Space Sciences* 8 (2021), p. 120. ISSN: 2296-987X. DOI: [10.3389/fspas.2021.711550](https://doi.org/10.3389/fspas.2021.711550). URL: <https://www.frontiersin.org/article/10.3389/fspas.2021.711550>.
- [11] Stefano Cestellos-Blanco et al. “Production of PHB From CO₂-Derived Acetate With Minimal Processing Assessed for Space Biomanufacturing”. In: *Frontiers in Microbiology* 12 (2021), p. 2126. ISSN: 1664-302X. DOI: [10.3389/fmicb.2021.700010](https://doi.org/10.3389/fmicb.2021.700010). URL: <https://www.frontiersin.org/article/10.3389/fmicb.2021.700010>.
- [12] Noah J Langenfeld et al. “Optimizing Nitrogen Fixation and Recycling for Food Production in Regenerative Life Support Systems”. In: *Frontiers in Astronomy and Space Sciences* 8 (2021), p. 105. ISSN: 2296-987X. DOI: [10.3389/fspas.2021.699688](https://doi.org/10.3389/fspas.2021.699688). URL: <https://www.frontiersin.org/article/10.3389/fspas.2021.699688>.
- [13] Donald Rapp. “Mars ISRU technology”. In: *Use of Extraterrestrial Resources for Human Space Missions to Moon or Mars*. Springer, 2013, pp. 31–90.
- [14] Niki Werkheiser. “In-space manufacturing: pioneering a sustainable path to Mars”. In: (2015).
- [15] Kevin M Cannon and Daniel T Britt. “Feeding one million people on Mars”. In: *New Space* 7.4 (2019), pp. 245–254. ISSN: 2168-0256.
- [16] Matthew J McNulty et al. “Molecular Pharming to Support Human Life on the Moon, Mars, and Beyond”. In: *Critical Reviews in Biotechnology* 0.0 (2020), pp. 1–16. DOI: [10.20944/PREPRINTS202009.0086.V1](https://doi.org/10.20944/PREPRINTS202009.0086.V1). URL: <https://www.preprints.org/manuscript/202009.0086/v1/20https://doi.org/10.1080/07388551.2021.1888070>.
- [17] L Poughon et al. “Simulation of the MELISSA closed loop system as a tool to define its integration strategy”. In: *Advances in Space Research* 44.12 (2009), pp. 1392–1403. ISSN: 0273-1177. DOI: <https://doi.org/10.1016/j.asr.2009.07.021>. URL: <http://www.sciencedirect.com/science/article/pii/S0273117709005286>.
- [18] NASA. *NASA’s Journey to Mars: Pioneering Next Steps in Space Exploration*. Tech. rep. 2015. DOI: [NP-2015-08-2018-HQ](https://doi.org/10.25907/2015-08-2018-HQ).
- [19] *A Midterm Assessment of Implementation of the Decadal Survey on Life and Physical Sciences Research at NASA*. Tech. rep. National Academy of Sciences, 2018.
- [20] *DOE Announces New \$60 Million Investment to Increase Energy Efficiency in Manufacturing*. 2021. URL: <https://www.energy.gov/articles/doe-announces-new-60-million-investment-increase-energy-efficiency-manufacturing>.
- [21] *Marshall Space Flight Center Space Systems*. Tech. rep. Huntsville, AL: National Aeronautics and Space Administration, Marshall Space Flight Center, 2011. DOI: [NP-2011-05-051-MSFC8a15477491b](https://doi.org/10.25907/2011-05-051-MSFC8a15477491b). URL: https://www.nasa.gov/sites/default/files/atoms/files/space_systems.pdf.
- [22] Gail Chapline and Steven Sullivan. “Systems engineering for Lifecycle of Complex Systems”. In: *Engineering Innovations (NASA)* (2010).
- [23] Jacques Cohen. “The crucial role of CS in systems and synthetic biology”. In: *Communications of the ACM* 51.5 (2008), pp. 15–18. ISSN: 0001-0782.
- [24] Nils Jonathan Helmuth Aversch. “Choice of Microbial System for In-Situ Resource Utilization on Mars”. In: *Frontiers in Astronomy and Space Sciences* 8 (2021), p. 116. ISSN: 2296-987X. DOI: [10.3389/fspas.2021.700370](https://doi.org/10.3389/fspas.2021.700370). URL: <https://www.frontiersin.org/article/10.3389/fspas.2021.700370>.
- [25] Adam P Arkin et al. “KBase: the United States department of energy systems biology knowledgebase”. In: *Nature biotechnology* 36.7 (2018), pp. 566–569. ISSN: 1546-1696.
- [26] Julius B Lucks et al. “Toward scalable parts families for predictable design of biological circuits”. In: *Current opinion in microbiology* 11.6 (2008), pp. 567–573. ISSN: 1369-5274.
- [27] Pablo Carbonell. “Getting on the Path to Engineering Biology”. In: *Metabolic Pathway Design*. Springer, 2019, pp. 3–10.
- [28] Evan Appleton et al. “Design automation in synthetic biology”. In: *Cold Spring Harbor perspectives in biology* 9.4 (2017), a023978. ISSN: 1943-0264.
- [29] Angel Goñi-Moreno et al. “An implementation-focused bio/algorithmic workflow for synthetic biology”. In: *ACS synthetic biology* 5.10 (2016), pp. 1127–1135. ISSN: 2161-5063.
- [30] Reshma P Shetty, Drew Endy, and Thomas F Knight. “Engineering BioBrick vectors from BioBrick parts”. In: *Journal of biological engineering* 2.1 (2008), pp. 1–12. ISSN: 1754-1611.

- [31] Barry Canton, Anna Labno, and Drew Endy. “Refinement and standardization of synthetic biological parts and devices”. In: *Nature biotechnology* 26.7 (2008), pp. 787–793. ISSN: 1546-1696.
- [32] Robert Sidney Cox et al. “Synthetic biology open language (SBOL) version 2.2. 0”. In: *Journal of integrative bioinformatics* 15.1 (2018). ISSN: 1613-4516.
- [33] Allen A Cheng and Timothy K Lu. “Synthetic biology: an emerging engineering discipline”. In: *Annual review of biomedical engineering* 14 (2012), pp. 155–178. ISSN: 1523-9829.
- [34] John C Mankins. “Technology readiness levels”. In: *White Paper, April 6* (1995), p. 1995.
- [35] Steven Hirshorn and Sharon Jefferies. “Final report of the NASA Technology Readiness Assessment (TRA) study team”. In: (2016).
- [36] Kathryn Hurlbert et al. “Human Health, Life Support and Habitation Systems Technology Area 06”. In: *NASA Sp. Technol. Roadmaps* (2012).
- [37] Tom Farmer. “A STEM Brainstorm at NASA.” In: *Techniques: Connecting Education and Careers (J1)* 84.1 (2009), pp. 42–43. ISSN: 1527-1803.
- [38] H A Engle and D L Christensen. “Identification and evaluation of educational uses and users for the STS. Educational planning for utilization of space shuttle ED-PLUSS”. In: (1974).
- [39] R F Brodsky. “The Time Has Come for the BS in Astronautical Engineering.” In: *Engineering Education* 76.3 (1985), pp. 149–152.
- [40] Gerald Sonnenfeld. “NASA Space Biology Research Associate Program for the 21st Century”. In: (1999).
- [41] Larry V McIntire and Frederick B Rudolph. “NASA Specialized Center of Research and Training (NSCORT) in Gravitational Biology”. In: (1996).
- [42] L S Fletcher and R H Page. “Technology transfer: The key to successful space engineering education”. In: *Acta Astronautica* 29.2 (1993), pp. 141–146. ISSN: 0094-5765. DOI: [https://doi.org/10.1016/0094-5765\(93\)90032-R](https://doi.org/10.1016/0094-5765(93)90032-R). URL: <https://www.sciencedirect.com/science/article/pii/009457659390032R>.
- [43] Mike Gruntman. “The Time for Academic Departments in Astronautical Engineering”. In: *AIAA SPACE 2007 Conference & Exposition*. 2007. DOI: [10.2514/6.2007-6042](https://doi.org/10.2514/6.2007-6042). URL: <https://arc.aiaa.org/doi/abs/10.2514/6.2007-6042>.
- [44] Laurence R Young and Alan Natapoff. “The Harvard-MIT PHD Program in Bioastronautics”. In: *Life in Space for Life on Earth* 553 (2008), p. 90. ISSN: 9292212273.
- [45] David M Klaus. “Incorporating Bioastronautics into an Engineering Curriculum”. In: 44th International Conference on Environmental Systems, 2014. ISBN: 0692382208.
- [46] Jhony Zavaleta et al. “An Automated Behavioral Analysis of Drosophila Melanogaster”. In: *Annual Meeting of the American Society for Gravitational and Space Research*. 2019.
- [47] Michael T. Suffredini. *Reference guide to the international space station*. Tech. rep. Houston, TX: National Aeronautics and Space Administration, Johnson Space Center, 2014. DOI: [NP-2015-05-022-JSC](https://doi.org/10.2514/6.2015-05-022-JSC).
- [48] Paolo Marzioli et al. “CultCube: Experiments in autonomous in-orbit cultivation on-board a 12-Units CubeSat platform”. In: *Life Sciences in Space Research* 25 (2020), pp. 42–52. ISSN: 2214-5524. DOI: <https://doi.org/10.1016/j.lssr.2020.02.005>. URL: <https://www.sciencedirect.com/science/article/pii/S2214552420300134>.
- [49] Autumn Luna et al. “Protein structural changes on a CubeSat under rocket acceleration profile”. In: *npj Microgravity* 6.1 (2020), p. 12. ISSN: 2373-8065. DOI: [10.1038/s41526-020-0102-3](https://doi.org/10.1038/s41526-020-0102-3). URL: <https://doi.org/10.1038/s41526-020-0102-3>.
- [50] Fabio Santoni et al. “GreenCube: microgreens cultivation and growth monitoring on-board a 3U CubeSat”. In: *2020 IEEE 7th International Workshop on Metrology for AeroSpace (MetroAeroSpace)*. 2020, pp. 130–135. DOI: [10.1109/MetroAeroSpace48742.2020.9160063](https://doi.org/10.1109/MetroAeroSpace48742.2020.9160063).
- [51] *Cubesat 101: basic concepts and processes for first-time CubeSat developers*. Tech. rep. 2017, p. 96.
- [52] Alicia Johnstone. *CubeSat design specification (1U-12U) rev 14 CP-CDS-R14*. Tech. rep. San Luis Obispo, CA: California Polytechnic State University, 2020. DOI: [CP-CDS-R14](https://doi.org/10.2514/6.2020-05-001).
- [53] *Criteria for Accrediting Engineering Programs, 2020 – 2021 — ABET*. Aug. 2021. URL: <https://www.abet.org/accreditation/accreditation-criteria/criteria-for-accrediting-engineering-programs-2020-2021/>.
- [54] *National Aeronautics And Space Administration (NASA) Model Equal Employment Opportunity Program Status Report: FY 2019*. Tech. rep. NASA, 2020. URL: <https://moon.nasa.gov/resources/23/apollo-11-landing-site/>.